


Hoofdstraat

(Wheemstraat - Bunckmanplein, nabij nr. 175)


Huidig



Hoofdstraat

(Wheemstraat - Bunckmanplein, nabij nr. 175)


Voorgesteld



Koninginnelaan

(Hoofdstraat - Van den Berglaan, nabij nr. 12)


Huidig



Koninginnelaan

(Hoofdstraat - Van den Berglaan, nabij nr. 12)


Voorgesteld



Koninginnelaan

(Van den Berglaan - Molenweg, nabij nr. 33)


Huidig




Koninginnelaan

(Van den Berglaan - Molenweg, nabij nr. 33)


Voorgesteld



Van den Berglaan
(Beatrixlaan - Koninginnelaan, nabij nr. 25)
Huidig




Van den Berglaan
(Beatrixlaan - Koninginnelaan, nabij nr. 25)
Voorgesteld



Van den Berglaan

(Brahmslaan - Beatrixlaan, nabij kerk)

Huidig



Van den Berglaan

(Brahmslaan - Beatrixlaan, nabij kerk)

Voorgesteld




Diagram illustrating a street layout with four sections and their widths:

- Trottoir** (2,30m): Sidewalk area with square paving stones. Shows pedestrians, a person with a dog, and a person sitting on the ground.
- Parkeervak (Klinkers)** (5,50m): Parking area with rectangular brick paving. Shows a car parked.
- Rijbaan (Asfalt)** (6,00m): Riding lane with smooth asphalt. Shows a cyclist and two cars.
- Trottoir** (3,80m): Sidewalk area with square paving stones. Shows pedestrians, a person with a dog, and a person sitting on the ground.

The diagram also includes a side view at the top showing the relative positions of these elements and a logo for MOBYCON in the bottom right corner.


The diagram illustrates a street layout with various zones and dimensions. The top part shows a side view of the street with a sidewalk, a car lane, a bicycle lane, and another sidewalk. The bottom part shows a top-down view of the same street, divided into six zones: Trottoir (2,30m), Parkeervak (Klinkers) (5,50m), Zijloper (Klinkers) (2,00m), Middenloper (Klinkers) (2,00m), Zijloper (Klinkers) (2,00m), and Trottoir (3,80m). The zones are color-coded: Trottoir (grey), Parkeervak (Klinkers) (dark grey), Zijloper (Klinkers) (red), Middenloper (Klinkers) (dark red), Zijloper (Klinkers) (red), and Trottoir (grey). The diagram also shows a car, a bicycle, and a pedestrian in the side view, and a car, a bicycle, and a pedestrian in the top-down view.

Zone	Width (m)	Material
Trottoir	2,30m	Grey
Parkeervak	5,50m	Klinkers (Dark Grey)
Zijloper	2,00m	Klinkers (Red)
Middenloper	2,00m	Klinkers (Dark Red)
Zijloper	2,00m	Klinkers (Red)
Trottoir	3,80m	Grey

Brahmslaan

(Nabij nr. 9)

Huidig



Brahmslaan

(Nabij nr. 9)

Voorgesteld

